

# BLS 700 SERIES

DISPOSABLE FLAT FILTERING FACEPIECES

BLS 700 series disposable filtering facepieces offer effective respiratory protection in environments where the user is exposed to airborne solid and/or liquid particles (dust, fumes, mists).



## FLAT THREE-PANEL DESIGN AND SINGLE PACKAGING

The facepiece is suitable for different types of faces with different sizes and shapes, it is comfortable to wear and easy to store when not in use.

The single hygienic packaging also protects the filtering facepiece from any contamination before use, allowing its conservation in a practical way and the distribution in the work environment.



## INTERNAL NOSE CLIP

The nose clip, placed internally between the layers of the filtering material, adapts optimally to the nose and eye profile of any type of face, and ensures good visibility and optimized compatibility with glasses.

## AVAILABLE WITH EXHALATION VALVE

It allows the exhaled air to dissipate more easily and ensures a high comfort to the user, making the filtering facepiece suitable for humid warm working environments.

# BLS 700 SERIES

## DISPOSABLE FLAT FILTERING FACEPIECES

### MATERIALS

ELASTICS	Welded thermoplastic elastomer (TPE)
NOSE CLIP	Reinforced Polypropylene (PP)
VALVE	Polypropylene (PP); rubber
FILTERING MATERIAL	Polypropylene (PP)

*All components in direct contact with user's face are LATEX FREE*

### TECHNICAL DATA

PRODUCT	CODE	CLASS of PROTECTION	FPN	EXHALATION VALVE	ELASTICS
BLS 728	8006261	FFP2 NR D	12* TLV		Stapled
BLS 729	8006225	FFP2 NR D	12* TLV	✓	Stapled
BLS 760	8006244	FFP3 R D	50* TLV	✓	Stapled

*(NR) Not Reusable, 8 hours max (R) Reusable (TLV) Threshold Limit Value  
(ACTIVATED CARBONS) Able to block gases&vapours organic and acid with concentrations lower that the TLV (NPF) Nominal Protection Factor  
(D) The product passed Dolomite test, simulates a heightened level of solid particles*

### TRANSPORT

PRODUCT	CODE	WEIGHT (g)	Q.TY/BOX	Q.TY/CARTON	CARTON WEIGHT (Kg)	Q.TY/PALLET
BLS 728	8006261	11	20	320	6,6	9.600
BLS 729	8006225	15	10	160	5,1	4.800
BLS 760	8006244	21	10	160	5,5	4.800

### STORAGE

SHELF-LIFE	10 years
TEMPERATURE	+5°C/+40°C
RELATIVE HUMIDITY	<60%

# BLS 700 SERIES

## DISPOSABLE FLAT FILTERING FACEPIECES

### AVAILABLE MODELS



BLS 728



With valve  
BLS 729 - BLS 760

### CERTIFICATION

BLS filtering facepieces are:

- Certified according to European Regulation 2016/425 (Personal Protective Equipments)
- Certified as PPE of III category, in presumption of conformity to harmonized standard EN 149:2001+A1:2009
- Certified and controlled according to Annex D by Italcert S.r.l. (Notified Body n°0426)
- CE marked

BLS management system is ISO 9001 certified.

### SELECTION GUIDE

#### FLAT \_ ALL MODELS

- Prevents the contamination of the inner mask before and after use
- It can be sold in vending machines
- Ideal for intermittent use, no damage if kept in the pockets

#### NO VALVE \_ BLS 728

- Also protects the environment from the user
- Ideal in the food industry and all working environments where contamination from the user must be avoided

#### WITH VALVE \_ BLS 729/BLS 760

- Reduces respiratory resistance and stagnation of heat providing comfortable protection, even in hot and humid environments

### IMPORTANT

BLS declines any responsibility, direct or indirect, from any misuse of both devices and instructions. User is responsible for the determination of product compliance with the intended use.