

# 55-107 Non-clean/Non-sterile Latex (NRL) RABS/Isolator Gloves

## NRL RABS/Isolator gloves, with heightened tear and abrasion resistance

Port size: 229mm/9"

Thickness: 0.76mm/30 mil

 Sustained protection: AlphaTec® NRL RABS and Isolator Gloves 55-107 are EN 388-certified, for Level 2 tear and abrasion resistance

- Improved durability: Heavyweight thickness delivers enhanced durability, ensuring longer-lasting wear life
- Limited contamination risks:
   Contamination risks are also minimized, as these RABS gloves are both unlined and translucent, making cleaning easier and more effective

#### **KEY FEATURES & BENEFITS**

- EN 388 compliance: For NRL gloves offering tear and abrasion resistance
- Heavyweight thickness: Greater durability, for longer glove life
- Unlined: Contamination risks reduced, cleaning made easier







## 55-107

Non-clean/Non-sterile Latex (NRL) RABS/Isolator Gloves

#### **TECHNICAL DATA SHEET**

Product Reference	55-107
Material	Natural Rubber Latex
Color	Natural
Shape	Ambidextrous
External Glove Surface	Smooth
Cuff Style	Beaded
Storage Instructions	Store in a dry and dark environment, temperature of 5°C to 22°C. Retain in original packaging when not in use.
Available Sizes	10
Temperature Range	From -30°C to 50°C
Shelf Life	Three (3) years from date of manufacture.
Standards	CE 0493, EN ISO 21420:2020, EN 388:2016, EN ISO 374-1:2016, EN ISO 374-5:2016, EN ISO 374-5:2016, EN ISO 374-1:2016, EN 388:2016, EN 420:2003 + A1:2009, Category III
Vulcanization Chemical Accelerators	<ul> <li>Natural rubber proteins</li> <li>Zinc Diethyldithiocarbamate (ZDEC)</li> </ul>





## 55-107

Non-clean/Non-sterile Latex (NRL) RABS/Isolator Gloves

#### **PHYSICAL PROPERTIES**

	Typical Values	Testing Method
Typical Length (mm/in)	787mm / 31"	EN 455-2
Port Size	229mm/9"	
Target Single Wall Palm Thickness (mm/mil)	0.76 mm / 30 mil	EN 455-2
Target Single Wall Cuff Thickness (mm/mil)	0.76 mm / 30 mil	EN 455-2

#### PROTECTION AGAINST MECHANICAL RISKS, EN 388:2016+A1:2018

Risk	Performance level
Abrasion Resistance	Level 2
Blade Cut Resistance	Level 1
Tear Resistance	Level 2
Puncture Resistance	Level 1

#### ORDERING INFORMATION

	PORT SIZE	9
	SIZE	10
55-107	REORDER NO.	55107010

### **Performance Standards and Regulatory Compliance**

**C** € 0493









#### For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NIV

Ansell Healthcare Europe NV T: +32 (0) 2 528 74 00 F: +32 (0) 2 528 74 01

#### **Asia Pacific Region**

Ansell Global Trading Center T: +603 8310 6688 F: +603 8310 6699

#### North America Region

Ansell Healthcare Products LLC US T: +1 800 800 0444 US F: +1 800 800 0445 CA T: +1-800-363-8340

#### Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V. T: +52 442 248 1544 / 248 3133

#### Australia

Ansell Limited T: +61 1800 337 041 F: +61 1800 803 578

#### UK

Ansell Nitritex T: +44 1638 663338 F: +44 1638 668890





PT 2

Ansell,  $^{\circledR}$  and  $^{\intercal}$  are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending: www.ansell.com/patentmarking  $^{\circledR}$  2024 Ansell Limited. All Rights Reserved.

