

BIOCLEAN

STERILE

Cut Resistant Liner

S-BCRL

About

BioClean sterile cut-resistant glove liners feature Dyneema® Diamond yarn and provide cut resistance and protection during rigorous procedures. Specifically constructed for optimal dexterity, comfort, and fit they also offer ANSI cut level II protection. The Cut-Resistant Glove Liners are designed to be worn between two cleanroom gloves to offer cut protection when handling sharp objects or cleaning apparatus which pose a cut risk.

WARNING: No liner provides complete protection against cuts. Use care when handling sharp objects.

CUT RESISTANT

COMFORTABLE

LATEX-FREE

Specifications

COMPATIBILITY:

Intended to be worn under a suitable cleanroom glove

LENGTH:

160mm - 200mm (dependent on size)

MATERIAL:

Ultra high molecular weight polyethylene (UHMWPE)

PROTEIN LEVEL:

UHMWPE contains no NRL proteins

SURFACE:

Knitted

SHAPE:

Ambidextrous

COLOUR:

White

STERILIZATION:

Gamma Irradiation

Features

- Level II cut resistance
- Optimal dexterity, comfort and fit
- Recommended to be worn between two cleanroom gloves



Quality Standards

- Manufactured in a facility holding ISO 9001: 2015 and (EU) 2016/425 Module D certifications
- Conforms to Category 2 - Personal Protective Equipment Regulation (EU) 2016/425
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of Glove Standard EN 420:2003+A1:2009
- Sterilized in accordance with ISO 11137-1:2006

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Glove Length +/-10mm (mm/inches)	XS - 162/6.3 S - 174/6.8 M - 182/7.1 L - 192/7.5 XL - 202/7.9	EN 420:2003 + A1:2009

PALM WIDTHS (mm) ± 5mm					
SIZE	X-Small (Yellow)	Small (Green)	Medium (Orange)	Large (Blue)	X-Large (Red)
mm	70	72	75	79	85
TEST METHOD		EN 420:2003 + A1:2009			

Sterilization

Method: Gamma irradiation
Minimum Dose: 25kGy
Sterility Assurance Level: 10⁻⁶

Shelf Life & Storage

Five (5) years from date of manufacture.
Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.



Protection Against Mechanical Risks, EN 388: 2016+A1:2018

Risk	Performance Level	Risk	Performance
Abrasion Resistance	3	Tear resistance	4
Blade cut resistance	X (DULLING)	Puncture resistance	X (NOT TESTED)
TDM: Cut Resistance	B	Impact Protection	Not Tested

TO ORDER

Re-order code

S-BCRL-5055
S-BCRL-6065
S-BCRL-7075
S-BCRL-8085
S-BCRL-9090

Size

X-Small (Yellow)
Small (Green)
Medium (Orange)
Large (Blue)
X-Large (Red)

Packing

One pair per inner PE wallet; one wallet per sealed EasyTear PE pouch; 10 pouches per sealed outer PE bag; 10 outer bags per lined carton (100 pairs).

For additional information visit us at www.bioclean.com, or contact us at;

Nitritex Ltd

Minton Enterprise Park
Oaks Drive
Newmarket, Suffolk
CB8 7YY
United Kingdom
Tel: +44 1638 663338


Ansell US

111 Wood Avenue South
Suite 210
Iselin, NJ 08830
USA
Tel: +1 800 800 0444

Nitritex (M) Sdn.Bhd

2 Jalan Jurunilai U1/20
Seksyen U1, Hicom Glenmarie Industrial Park
40150 Shah Alam, Selangor
Malaysia
Tel: +603 5569 3857/3859

S-BCRL/1908/PDS12



Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

*Warning: No glove provides complete protection against all chemicals. Users must test the gloves against the particular chemicals and environment in which they will be used.

**Please see product validation pack or contact Ansell customer service for specific data on use of gloves with cytotoxic drugs. Gloves used for protection against such drugs must be selected specifically for the type of chemicals used.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 – 2019 Ansell Limited. All Rights Reserved.

Dyneema® is a registered trademark owned by Royal DSM N.V.