bimos

characteristics lsitec 2 with castors

Article: 9608 integral foam

Dimensions in mm	Backrest:	H:	340
	Seat:	H:	430-600
		B:	440
		T:	410
Packing data	Weight	kg	12,0
	Volume	m³	0,13



Base equipment		Benefit
Backrest	Ergonomically designed, high backrest to take the strain off the spine and muscles This is achieved by means of its special shape: wide at the bottom and narrow at the top	The backrest optimum support for your lumbar region whilst allowing your arms and upper body the space and freedom they need higher up in order to move around
	Backrest height adjustment convenient and easy to handle in sitting position	The amount of the support can be provided in accordance with the user's body size
Seat	Carrying handle integrated Ergonomically designed, extra high seat. With rounded front edge	Suitable to handle the chair more easily The round front edge of the seat prevents blocked circulation in the thighs
Seat and backrest design	Integral foam (PU): The new developed SoftTouch integral foam provides the ultimate softness in seating, is washable and resistant to external influences Colour: Black (2000)	The use of integral foam is recommended for work environments where the chair is in contact with aggressive substances and sharp parts
Seat height	Stepless seat height setting from 430-600 mm supported by safety gas spring with protective cover	Seat height can be adapted to nearly 95% of all body sizes, the cover protects the gas spring from dust and dirt
echnology	Permanent contact backrest with additional seat inclination adjustment	This mechanism ensures that the backrest responds immediately to any movements of the upper body by following them. Thus, the back remains supported all the time. The backrest can also be locked into any tilt position if required
		There is a continuously variable mechanism for tilting the seat forwards. This ensures that your posture remains relaxed even when you need to bend forwards into your work. Less pressure is exerted on the thigh area, which encourages steady circulation. The problem of sitting all hunched up is masterfully avoided thanks to a mechanism that ensures a minimum angle of 90° between your legs and upper body at all times
	Quick adjustment	Every function can be operated comfortable and easy in sitting position
ase	Black 5 star base made from plastic. Flat design	Very high stability, longevity and safety Flat design prevents stumbling hazard
Castors	Dual-wheel safety castors with load-sensitive brakes, For hard floors as standard	Chairs are braked when not used which decreases the accident risk
Aaterials	All materials are separable and recvclable.	Environmentally friendly.

bimos

characteristics Isitec 2 with castors

Article: 9608 integral foam

Dimensions in mm	Backrest:	H:	340
	Seat:	H:	430-600
		B:	440
		T:	410
Packing data	Weight	kg	12,0
	Volume	m³	0,13



Standards	DIN 68 877 German GS "safety tested" mark of confirmity Quality management system DIN EN ISO 9001 EEC Directive No. 1836/93 and Environmental management system DIN EN ISO 14001	Procuring is insured
Warranty	10 year long term warranty, 3 years full warranty	Guaranteed quality and high efficiency

bimos

characteristics lsitec 2 with castors

Article: 9608 integral foam

Dimensions in mm	Backrest:	H:	340
	Seat:	H:	430-600
		B:	440
		T:	410
Packing data	Weight	kg	12,0
	Volume	m³	0,13



Options		Benefit
Armrests	Loop armrest	Made of polyamide, adjustable in width (20 mm)
	Multifunctional armrest	The armrests are adjustable in height, width and depth to suit the individual user
Accessories	Foot ring	The foot ring can be retrofitted by attaching it to the chair column
Options	Steel base	